Welcome To Chiropractic FIRST

Please Print Clearly and Fill in Completely

CONFIDENTIAL PATIENT HEALTH RECORD	Date:					
PERSONAL HISTORY						
Name:	Birth Date: Age:					
Address:	Sex: Male / Female					
City: State: Zip:	Home Phone:					
Social Security #:	Cell Phone:					
Driver's License #:	E-mail Address:					
Business Employer:	Fax #:					
Occupation:	Business Phone:					
Name of Spouse:	Spouse's Employer:					
Type of Work:	Names & Ages of Children:					
Referred To This Office By:						
Name & Number of Emergency Contact & Relationship:						
Current Primary Physician Contact Information						
Who is responsible for your bill? You and \Box Spouse \Box W	Vorker's Comp □Auto Insurance □Medicare □Medicaid					
Personal Health Insurance Carrier:	Health Card ID #:					
Insured Person's Name:	Group #:					
Insured Person's Date of Birth:	Have you had previous chiropractic care? \Box Yes \Box No					
Insured Person's Social Security #:	Name of Previous Chiropractor:					

CURRENT HEALTH CONDITION

SYMPTOMS: When this problem is at its worst, please explain in your words how exactly it feels?

When did this condition begin? _____

MECHANISM OF ONSET: Before you began to suffer with this problem, was there an earlier accident, injury, or condition that may or may have been directly related to this problem? (Example: fall, auto injury, sports trauma, repetitive motion on the job) ______

VERTEBRAL SUBLUXATIONS IRRITATE DIFFERENT FIBERS IN NERVES; WHICH BEST DESRCRIBES YOUR CONDITION:

Burning	Diffuse	🗆 Dull / Aching	□ Localized	🗆 Sharp	Shooting	Stabbing	Tingling
□ Radiating	g □ Other:						

VERTEBRAL SUBLUXATIONS CAN PUT PRESSURE ON THE SPINAL CORD THAT FEELS CONSTANT OR									
OCCASIONAL. WHEN AND WHICH DO YOU FEEL?									
□ Worse AM	□ Worse PM	\Box Worse with activity	□ Intermittent	Constant	□ Worse at night				
How often do	How often do you find yourself suffering from this problem?								
How long does the problem last? (Provide all details on timing)									
Is condition:	⊐Auto related	□Work related □Othe	er □No injury						
Explain:									
Date/Time of .	Accident:			_					

DAILY ACTIVITIES


Carrying Groceries	□ No Effect	🗆 Painful (can do)	🗆 Painful (limits)	□ Unable to Perform
Sit to Stand	□ No Effect	🛛 Painful (can do)	🗆 Painful (limits)	□ Unable to Perform
Climbing Stairs	□ No Effect	🛛 Painful (can do)	🗆 Painful (limits)	□ Unable to Perform
Pet Care	□ No Effect	🛛 Painful (can do)	🗆 Painful (limits)	□ Unable to Perform
Driving	□ No Effect	🗆 Painful (can do)	Painful (limits)	□ Unable to Perform
Extended Computer Use	e□ No Effect	🗆 Painful (can do)	Painful (limits)	□ Unable to Perform
Household Chores	□ No Effect	□ Painful (can do)	🗆 Painful (limits)	□ Unable to Perform
Lifting Children	□ No Effect	🗆 Painful (can do)	Painful (limits)	□ Unable to Perform
Reading/Concentration	□ No Effect	□ Painful (can do)	🗆 Painful (limits)	□ Unable to Perform
Bathing	□ No Effect	□ Painful (can do)	🗆 Painful (limits)	□ Unable to Perform
Dressing	□ No Effect	□ Painful (can do)	Painful (limits)	□ Unable to Perform
Shaving	□ No Effect	□ Painful (can do)	🗆 Painful (limits)	□ Unable to Perform
Sexual Activities	□ No Effect	□ Painful (can do)	Painful (limits)	□ Unable to Perform
Sleep	□ No Effect	🛛 Painful (can do)	🗆 Painful (limits)	□ Unable to Perform
Static Sitting	□ No Effect	🛛 Painful (can do)	🗆 Painful (limits)	□ Unable to Perform
Static Standing	□ No Effect	□ Painful (can do)	🗆 Painful (limits)	□ Unable to Perform
Yardwork	□ No Effect	🛛 Painful (can do)	🗆 Painful (limits)	□ Unable to Perform
Walking	□ No Effect	□ Painful (can do)	Painful (limits)	□ Unable to Perform

SOCIAL HISTORY QUESTIONAIRRE

OCCUPATION Job Title:			Work Hours P	Per Day:
Max Lifting Requirement Lifting Frequency: Cor Lifting Postures: Knee Alcohol: # Drinks per wee Tobacco # Packs per wee	nstant (66-100 D Torso ek	0%of day) □ Freque □ Arm □ Shoulder	ent (33-66% of day)	bs) □ Hvy (>50 lbs) □ Occasional (0-33% of day)
Family History of Heart Disease?	Paternal	Maternal		
History of Cancer? Other?	Paternal	Maternal		

Has there been any other injury to your spine you feel the Doctor should know about? ______

Please Fill in Below If you have							
had the following, or if you suffer from the following, <i>Please Check ✓</i>							
Condition, Symptom	Constantly or	Sometimes or					
Or Problem	Frequently	Occasionally					
Headache							
Migraines							
Neck Pain							
Shoulder Pain							
Arm/Hand Pain							
Mid Back Pain							
Low Back Pain							
Hip Pain							
Leg/Foot Pain							
Disc Problems							
Arthritis							
Other joint pain							
Numbness							
Joint Swelling							
Dizziness							
Nausea							
Weakness							
Fatigue							
Nervousness							
Insomnia							
Heart Problems							
Frequent colds							
Nose Bleeds							
Ringing in Ears							
Earaches							
Hearing Loss							
Cough							
Chest pains							
Female problems							
Allergies							
Asthma							
Cancer							
Osteoporosis							
Diabetes							
Hypoglycemia							
Digestive problem							
Urinary Problems							
Skin conditions							
Other							



Below, Please Fill In Any Other Health Information You Feel We Might Need For Your Care.

Thank you for being complete and thorough. Your Signature Below Please

Date:_____

Oswestry Low Back Pain Scale

Please rate the severity of your pain by circling a number below:

	No pain	0	1	2	3	4	5	6	7	8	9	10	Unbearable pain
Name													Date

Instructions: Please circle the ONE NUMBER in each section which most closely describes your problem.

Section 1 – Pain Intensity

- 0. The pain comes and goes and is very mild.
- 1. The pain is mild and does not vary much.
- 2. The pain comes and goes and is moderate.
- 3. The pain is moderate and does not vary much.
- 4. The pain comes and goes and is severe.
- 5. The pain is severe and does not vary much.

Section 2 – Personal Care (Washing, Dressing, etc.)

- 0. I would not have to change my way of washing or dressing in order to avoid pain.
- 1. I do not normally change my way of washing or dressing even though it causes some pain.
- 2. Washing and dressing increase the pain but I manage not to change my way of doing it.
- Washing and dressing increase the pain and I find it necessary to change my way of doing it.
- 4. Because of the pain I am unable to do some washing and dressing without help.
- 5. Because of the pain I am unable to do any washing and dressing without help.

Section 3 – Lifting

- 0. I can lift heavy weights without extra pain.
- 1. I can lift heavy weights but it gives extra pain.
- 2. Pain prevents me lifting heavy weights off the floor.
- 3. Pain prevents me lifting heavy weights off the floor, but I can manage if they are conveniently positioned, e.g., on a table.
- 4. Pain prevents me lifting heavy weights but I can manage light to medium weights if they are conveniently positioned.
- 5. I can only lift very light weights at most.

Section 4 – Walking

- 0. I have no pain on walking.
- 1. I have some pain on walking but it does not increase with distance.
- 2. I cannot walk more than 1 mile without increasing pain.
- 3. I cannot walk more than $\frac{1}{2}$ mile without increasing pain.
- 4. I cannot walk more than $\ensuremath{^{1\!\!\!/}}$ mile without increasing pain.
- 5. I cannot walk at all without increasing pain.

Section 5 – Sitting

- 0. I can sit in any chair as long as I like.
- 1. I can sit only in my favorite chair as long as I like.
- 2. Pain prevents me from sitting more than 1 hour.
- 3. Pain prevents me from sitting more than 1/2 hour.
- 4. Pain prevents me from sitting more than 10 minutes.
- 5. I avoid sitting because it increases pain immediately.

Section 6 – Standing

- 0. I can stand as long as I want without pain.
- 1. I have some pain on standing but it does not increase with time.
- 2. I cannot stand for longer than 1 hour without increasing pain.
- 3. I cannot stand for longer than ½ hour without increasing pain.
- 4. I cannot stand for longer than 10 minutes without increasing pain.
- 5. I avoid standing because it increases the pain immediately.

Section 7 – Sleeping

- 0. I get no pain in bed.
- 1. I get pain in bed but it does not prevent me from sleeping well.
- 2. Because of pain my normal nights sleep is reduced by less than one-quarter.
- 3. Because of pain my normal nights sleep is reduced by less than one-half.
- 4. Because of pain my normal nights sleep is reduced by less than three-quarters.
- 5. Pain prevents me from sleeping at all.

Section 8 – Social Life

- 0. My social life is normal and gives me no pain.
- 1. My social life is normal but it increases the degree of pain.
- 2. Pain has no significant effect on my social life apart from limiting my more energetic interests, e.g., dancing, etc.
- 3. Pain has restricted my social life and I do not go out very often.
- 4. Pain has restricted my social life to my home.
- 5. I have hardly any social life because of the pain.

Section 9 – Traveling

- 0. I get no pain when traveling.
- 1. I get some pain when traveling but none of my usual forms of travel make it any worse.
- 2. I get extra pain while traveling but it does not compel me to seek alternate forms of travel.
- 3. I get extra pain while traveling which compels to seek alternative forms of travel.
- 4. Pain restricts me to short necessary journeys under ½ hour.
- 5. Pain restricts all forms of travel.

Section 10 – Changing Degree of Pain

- 0. My pain is rapidly getting better.
- 1. My pain fluctuates but is definitely getting better.
- 2. My pain seems to be getting better but improvement is slow.
- 3. My pain is neither getting better or worse.
- 4. My pain is gradually worsening.
- 5. My pain is rapidly worsening.

TOTAL _____

NECK DISABILITY INDEX

This questionnaire is designed to help us better understand how your neck pain affects your ability to Manage everyday -life activities. Please mark in each section the **ONE BOX** that applies to you. Although you may consider that two of the statements in any one section relate to you, please mark the box that **MOST CLOSELY** describes your present -day situation.

SECTION 1 - PAIN INTENSITY

- □ I have no pain at the moment.
- □ The pain is very mild at the moment.
- □ The pain is moderate at the moment.
- □ The pain is fairly severe at the moment.
- □ The pain is very severe at the moment.
- □ The pain is the worst imaginable at the moment.

SECTION 2 - PERSONAL CARE

- □ I can look after myself normally without causing extra pain.
- □ I can look after myself normally, but it causes extra pain.
- It is painful to look after myself, and I am slow and careful.
- I need some help but manage most of my personal care.
- □ I need help every day in most aspects of self -care.
- I do not get dressed. I wash with difficulty and stay in bed.

SECTION 3 - LIFTING

- □ I can lift heavy weights without causing extra pain.
- I can lift heavy weights, but it gives me extra pain.
- Pain prevents me from lifting heavy weights off the floor but I can manage if items are conveniently positioned, ie. on a table.
- Pain prevents me from lifting heavy weights, but I can manage light weights if they are conveniently positioned.
- I can lift only very light weights.
- I cannot lift or carry anything at all.

SECTION 4 - WORK

- □ I can do as much work as I want.
- □ I can only do my usual work, but no more.
- □ I can do most of my usual work, but no more.
- □ I can't do my usual work.
- I can hardly do any work at all.
- I can't do any work at all.

SECTION 5 - HEADACHES

- I have no headaches at all.
- □ I have slight headaches that come infrequently.
- □ I have moderate headaches that come infrequently.
- I have moderate headaches that come frequently.
- I have severe headaches that come frequently.
- I have headaches almost all the time.

PATIENT NAME

SCORE _____ [50]

SECTION 6 - CONCENTRATION

- □ I can concentrate fully without difficulty.
- □ I can concentrate fully with slight difficulty.
- I have a fair degree of difficulty concentrating.
- L have a lot of difficulty concentrating.
- I have a great deal of difficulty concentrating.
- I can't concentrate at all.

SECTION 7 - SLEEPING

- I have no trouble sleeping.
- My sleep is slightly disturbed for less than 1 hour.
- My sleep is mildly disturbed for up to 1-2 hours.
- My sleep is moderately disturbed for up to 2-3 hours.
- My sleep is greatly disturbed for up to 3-5 hours.
- My sleep is completely disturbed for up to 5-7 hours.

SECTION 8 - DRIVING

- I can drive my car without neck pain.
- □ I can drive as long as I want with slight neck pain.
- □ I can drive as long as I want with moderate neck pain.
- □ I can't drive as long as I want because of moderate neck pain.
- □ I can hardly drive at all because of severe neck pain.
- L can't drive my care at all because of neck pain.

SECTION 9 - READING

- □ I can read as much as I want with no neck pain.
- □ I can read as much as I want with slight neck pain.
- □ I can read as much as I want with moderate neck pain.
- □ I can't read as much as I want because of moderate neck pain.
- I can't read as much as I want because of severe neck pain.
- I can't read at all.

SECTION 10 - RECREATION

- □ I have no neck pain during all recreational activities.
- □ I have some neck pain with all recreational activities.
- □ I have some neck pain with a few recreational activities.
- I have neck pain with most recreational activities.
- □ I can hardly do recreational activities due to neck pain.
- I can't do any recreational activities due to neck pain.

Benchmark -5 = _____

Date _____

Copyright: Vernon H. and Hagino C., 1987. Vernon H, Mior S. The Neck Disability Index: A study of reliability and validity. Journal of Manipulative and Physiological Therapeutics 1991; 14:409-415. Copied with permission of the authors.